Draft for Public Hearing

BY-LAW NO.

A By-law to amend Zoning and Development By-law No. 3575 to rezone an area to CD-1

THE COUNCIL OF THE CITY OF VANCOUVER, in public meeting, enacts as follow

Zoning District Plan Amendment

1. This By-law amends the Zoning District Plan Lached as Schedule D to By-la. No. 3575, and amends or substitutes the boundaries districts shown it, according to the amendments, substitutions, explanatory legends, nota marginally numbered Z-754 (e) attached as Schedule to the By-law, and incorporates Schedule A into Schedule D of By-law No. 3575.

Designation of CD-1 District

2.1 The area shown within the hea black on Schedul is hereby designated CD-1 ().

2.2 The rezoning site is to consist of two b-ar approximately as illustrated in Figure 1, for the purpose of the allocation of maximum

Fig. 1

3. Subject to uncil approval of the form of development, to all conditions, guidelines and policie, optrovy Council, and to the conditions set out in this By-law or in a development permit, the uses permitted within CD-1 (), and the only uses for which the Director of Planning or evelopment Permit Board will issue development permits are:

- (a) Dwelling Uses, limited to Multiple Dwelling; and
- (b) Accessory uses customarily ancillary to the uses permitted in this section.

١S

Conditions of use

4. The design and layout of at least 35% of the dwelling units must:

- (a) be suitable for family housing;
- (b) include two or more bedrooms, of which:
 - (i) at least 25% of the total dwelling units must be -bedrook its, and
 - (ii) at least 10% of the total dwelling units mu e three-bedroom up and
- (c) comply with Council's "High-Density H ing for Families with Chin Guidelines".

Floor area and density

5.1 Computation of floor area must assume that the site is 1,625.9 m², being the site idenced by this By-law, and before any dedications.

5.2 The floor space ratio for all uses 1 t not 1 33.

5.3 Computation of floor area must in the all $f' > s_0$, "dings, having a minimum ceiling height of 1.2 m, including earthen floor area must in the solution of the solution

- 5.4 Computation noor area st exclude:
 - (a) In residential conies or sunce s and any other appurtenances which, in pointion of the president of the similar to the foregoing, except that:
 - (i) al floor area of all such exclusions must not exceed 12% of the ential floor area, and

the b. ies must not be enclosed for the life of the building;

- (b) patic and roof gardens, provided that the Director of Planning first approves the design sunroofs and walls;
- (c) where bors are used for off-street parking and loading, the taking on or disc ging of passengers, bicycle storage, heating and mechanical equipment, or ses, which in the opinion of the Director of Planning are similar to the egoing, those floors or portions thereof so used, which are at or below base surface, except that the maximum exclusion for a parking space must not exceed 7.3 m in length; and
- (d) all residential storage area above or below base surface, except that if the residential storage area above base surface exceeds 3.7 sq. m per dwelling unit,

there will be no exclusion for any of the residential storage area above base surface for that unit.

- 5.5 Computation of floor area may exclude amenity areas, except that the total exclusion for amenity areas must not exceed 10% of permitted floor area.
- 5.6 The use of floor area excluded under sections 5.4 and 5.5 must reclude any use other than that which justified the exclusion.

Building height

6. Building height, measured from base surface to the of roof parapet and the uppermost storey, must not exceed the maximum heights set in the table below.

Sub-area	Maximum he ⁱ	n b' ing
1	10.4 m	
2	12.6 m	

Horizontal angle of daylight

7.1 Each habitable room must have as. indow on an ex r wall of a building.

7.2 The location of each such exterior dow must be or planes extending from the window and formed by an angle of 50 c rees. Wo angle it has um of 70 degrees, to encounter no obstruction over a distance of 2 r

7.3 Measurement one plan, planes repland to in Section 7.2 must be horizontally from the centre of the bound of each velocity.

7.4 The D pr of Planning Development P mit Board may relax the horizontal angle of daylight require. if:

(a) the D_h of Planning or Development Permit Board first considers all of the applicab, 'icies and guidelines adopted by Council; and

(b) 1. inimum coce of unobstructed view is not less than 3.7 m.

7.5 An obstructive efferred to in Section 7.2 means:

(a) any paper of the same building including permitted projections; or

(b) the Jest building permitted under the zoning on any site adjoining CD-1 ().

- 7.6 A e room referred to in Section 7.1 does not include:
 - (a) a bathroom; or
 - (b) a kitchen whose floor area is the lesser of:

- (i) 10% or less of the total floor area of the dwelling unit, or
- (ii) 9.3 m².

Acoustics

8. A development permit application for dwelling uses must include a coustical report prepared by a registered professional acoustic engineer demonstrating the noise levels in those portions of the dwelling units listed below will not exceed the noise level in the dwelling units. For the process of the expressed in action, the noise level is the A-weighted 24-hour equivalent (Leq24) sound level and will be development as noise level in decibels.

	Portions of dwelling units	Noise is (Decibels)	
	Bedrooms Living, dining, recreation rooms Kitchen, bathrooms, hallways	35 40	
Zoning and	Development By-law		
9. Sectio	ons 2 through 14 of the Zor	velopment By-la. າly to this	CD-1 ().
Severability			
	tision by a court that any part c is is is in this By-law, and is not to affect	By is illegan id, or unenfor ice of this By-law.	ceable severs
Force and ef	ffect		
11. This E	By-' is to come int prce and take	ct on the date of its enactment	nt.
ENACTED by	y Cou this day of	<i>P</i>	, 2019
			Mayor
			City Clerk

